



EXTRAORAL LIBRARY CODES

DYNAMIC ABUTMENT® SOLUTIONS LIBRARY



NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
BIOMET 3I	Certain	3,25/4	3,4	0,3	3,8/5/7/9	1,2	3,80				DAS_E_0001
BIOMET 3I	Certain	4/5	4,1	0,3	4/5/7/9	1,2	4,00				DAS_E_0002
BIOMET 3I	Certain	5	5	0,5	4,5	-	-				DAS_E_0057
BIOMET 3I	Osseotite	3,25	3,4	0,3	3,8/5/7/9	0,5	3,80				DAS_E_0003
BIOMET 3I	Osseotite	4	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
BIOMET 3I	Osseotite	5	5	0,5	4,5	-	-				DAS_E_0058
BIOMET 3I	Low profile	Universal	Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
AB	I2	3,5/3,75/4,2/4,5/5/6	Standard	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
AB	I22	3,75/4,2	Standard	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
AB	I5	3,5/3,75/4,2/4,5/5/6/7/8	Standard	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
AB	I55	3,75/4,2/4,5/5/6/7/8	Standard	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
AB	I10	4,2/5	Standard	0	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
AB	I15	6/7/8	Standard	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
AB	Multi Unit D1-P64		Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase ® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
ACE	External Hex	3,3	NP 3,5	0,3	3,8	0,5	3,80				DAS_E_0023
ACE	External Hex	3,75/4	RP 4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
ACE	Infinity Internal Hex	3,7/4,1	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ACE	Infinity Internal Hex	4,7/5,1	4,5	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
ACE	Infinity TRI-CAM	3,5	3,5	0,5	3,8/5/7/9	1,2	3,80				DAS_E_0026
ACE	Infinity TRI-CAM	4,3	4,3	0,3	4/5/7/9	1,2	4,00				DAS_E_0027
ACE	Infinity TRI-CAM	5	5	0,3	4,0	-	-				DAS_E_0028
ACE	Infinity Octagon	3,3/4,1/4,8	RP 4,8	0,6	4,5	-	-				DAS_E_0037
ACE	Infinity Octagon	4,8	WP 6,5	0,6	4,5						DAS_E_0096
ACE	Multi Unit		Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
ADIN	Swell	3,3	3,45	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ADIN	Swell	3,75/4,2	3,6	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ADIN	Swell	5	4	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ADIN	Swell	6	4,6	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
ADIN	Toureg-CloseFit	3,5	RP	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
ADIN	Toureg-CloseFit	4,3/5	WP	1,3	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0022
ADIN	Toureg-S/Toureg-OS	3,5	3,45	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ADIN	Toureg-S/Toureg-OS	3,75/4,2	3,6	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ADIN	Toureg-S/Toureg-OS	5	4	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ADIN	Toureg-S/Toureg-OS	6	5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ADIN	Multi Unit TMA		Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
ALPHABIO	Alphabio External		Narrow Platform	0,3	3,8	0,5	3,80				DAS_E_0023
ALPHABIO	Alphabio External		Regular Platform	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
ALPHABIO	Conical Hex Connection (NICE)	3,2	Narrow	0,7	4,5	-	-				DAS_E_0136
ALPHABIO	Neo Conical	3,75/4,2/5	Standard	0,6	3,8						
ALPHABIO	Internal Hex Connection (IH) SPI	3,3/3,75/4,2/5/6	Universal	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ALPHABIO	Internal Hex Connection (IH) ICE	3,7/3,75/4,2/4,65/5,3	Universal	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
ALPHABIO	Internal Hex Connection (IH) DFI	3,3/3,75/4,2/4,5	Universal	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ALPHABIO	Internal Hex Connection (IH) ATID	3,3/3,75/4,2/5/6	Universal	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ALPHABIO	Internal Hex Connection (IH) NEO	3,75/4,2/5	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ALPHABIO	Conical Standard Connection (CS)	3,75/4,2/5	Standard	0,6	3,8	-	-				DAS_E_0169
ANCLADEN	Anclalock	3,75/4,25/5	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ANKYLOS	Ankylos	C/X	NP/RP7WP	1,0	3,8	1,0	3,80				DAS_E_0075
ANTHOGYR	Anthofit HE	3,5/3,75/4	R (4,1)	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
ANTHOGYR	Ossfit	3,5/4,2	4,8	0,6	4,5	-	-				DAS_E_0037
ANTHOGYR	Infinity Octagon	4,8	WP 6,5	0,6	4,5						DAS_E_0096
ARDS	Classic	3,75/4,2/4,5	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ARDS	Classic	3,3/3,75/4,2/5/6	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ARDS	Premium	3,3/3,75/4,2/5/6	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
ARDS	Smart	3,75/4,2/4,5	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ASTRA	Yellow	3	Yellow	1,2	3,8	-	-				DAS_E_0109
ASTRA	Aqua	3,5/4	Aqua (Narrow)	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
ASTRA	Lilac	4,5/5	Lilac (Wide)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
ASTRA	Evolution	3	3	1,0	4,5	-	-				DAS_E_0090
ASTRA	Evolution	3,6	3,6	1,2	3,8	-	-				DAS_E_0006
ASTRA	Evolution	4,2	4,2	1,5	4/5/7/9	-	-				DAS_E_0007
ASTRA	Evolution	4,8	4,8	1,2	4,0	-	-				DAS_E_0091
ASTRA	Evolution	5,4	5,4	1,0	4,5	-	-				DAS_E_0092
ASTRA	Evolution	Universal	Universal	0,5	3,8/5/7/9	-	-				DAS_E_0008
AVINENT	HE	3,3/3,5/4	3,5	0,3	3,8	0,5	3,80				DAS_E_0023
AVINENT	HE	3,3/3,8/4/4,2/4,8/4,5/5	°	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
AVINENT	HI	3,1/3,5/4	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
AVINENT	HI	3,3/3,8/4/4,2/4,8/4,5/5	4,1	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IM-PLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
AVINENT	Transeptelial	Universal	Regular Platform	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
BEGO	RS/RSX	3	3	0,6	3,8	-	-				DAS_E_0049
BEGO	S/RI/RS/RSX	3,25/3,75	3,25/3,75	0,7	3,8	-	-				DAS_E_0050
BEGO	S/RI/RS/RSX	4,1	4,1	0,5	4,0	-	-				DAS_E_0051
BEGO	S/RI/RS/RSX	4,5	4,5	0,3	4,5	-	-				DAS_E_0052
BEGO	S/RI/RS/RSX	5,5	5,5	0,4	4,5	-	-				DAS_E_0081
BEGO	Hexágono Externo	2,7/2,9/3,1	Narrow Mini	0,3	3,8	0,5	3,80				DAS_E_0009
BIOCONCEPT	BC Tissue Level Standard	3,3/4,1/4,8	Regular	0,6	4,5	-	-				DAS_E_0037
BIOCONCEPT	BC Tissue Level Standard Plus	4,8	Regular	0,6	4,5	-	-				DAS_E_0037
BIOCONCEPT	BC Tissue Level Tapered Effect	4,8	Regular	0,6	4,5	-	-				DAS_E_0037
BIOCONCEPT	BC Bone Level	3,3	Narrow	1,3	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0033
BIOCONCEPT	BC Bone Level	4,1/4,8	Regular	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0035

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
BIOCONCEPT	BV Tapered Bone Level	3,5	Narrow	1,2	3,8	2,0	3,80	3,0	4,0	5,0	DAS_E_0029
BIOCONCEPT	BV Tapered Bone Level	4/4,5/5	Regular	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
BIOGENESIS	3icon	3,3	Mini (Pink)	0,3	3,8	0,5	3,80				DAS_E_0023
BIOGENESIS	3icon		Regular (Blue)	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
BIOGENESIS	Aticon	3,5//4/4,5/5	Pink/Blue	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
BIOGENESIS	Iticon	3,5/4,1/4,8	4,8	0,6	4,5	-	-				DAS_E_0037
BIOHORIZON	External	3,5	3,7 (Yellow)	0,3	3,8	0,5	3,80				DAS_E_0023
BIOHORIZON	Tapered Internal	3/3,4/3,8	3,0 (Grey)	1,8	3,8	-	-				DAS_E_0102
BIOHORIZON	Tapered Internal	3/3,8/4,6	3,5 (Yellow)	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
BIOHORIZON	Tapered Internal	4,6/5,8	4,5 (Green)	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
BIOHORIZON	Tapered Internal	5,8	5,7 (Blue)	0,4	4,5	-	-				DAS_E_0080
BIOHORIZON	Internal	3,5/4	3,5 (Yellow)	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
BIOHORIZON	Internal	4/5	4,5 (Green)	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
BIOHORIZON	Internal	5,8	5,7 (Blue)	0,4	4,5	-	-				DAS_E_0080

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
BIOHORIZON	Multi Unit Angled		Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
BIOLOK	External Hex	3,45	3,45	0,3	3,8/5/7/9	0,5	3,80				DAS_E_0003
BIONER	Hikelt	3,8	3,95	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
BIONER	Hikelt	4,7	4,9	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
BIONER	Ikelt/Bikelt	3,3/3,75/4	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
BIONER	Transepitelial A-5M	Universal	Regular	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
BIONER	TopDM	3,5	3,5	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
BIONER	TopDM	4	4	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
BIONER	TopDM	5	5	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
BIOTEC	SPR/CIM	3,3	3,3	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
BIOTEC	SPR/CIM	3,75	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
BIOTEC	SPR/SPTT/CIM	4,2	4,2	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
BIOTEC	SPR/SPTT/CIM	5	5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
BIOTECH	Kontakt	3,6/4,2/4,8/5,4	Universal	1,0	4,0	-	-				DAS_E_0165

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
BTI	External Connection	2,5/3/3,3/3,5/3,75	Tiny 3,5	0,3	3,8	0,5	3,80				DAS_E_0009
BTI	External Connection	3,75/4/4,5/5	Universal 4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
BTI	External Connection	4,5/5/5,5	Ancha 5,5	0,5	4,5	-	-				DAS_E_0060
BTI	Internal Connection	3,3/3,5/3,75/4/4,25/5/5,5	Universal 4,1	0,3	4,0	1,0	4,00				DAS_E_0010
BTI	Internal Connection	4,5/5/5,5/6/6,25	Ancha 5,5	0,7	4,5	-	-				DAS_E_0059
BTI	Multi-IM		Ancha 5,6	0,5	-	-	-				DAS_E_0177
BTK	Klassic / Konic EXT	3,25	3,4 EN	0,3	3,8/5/7/9	0,5	3,80				DAS_E_0003
BTK	Klassic / Konic EXT	3,25PL/3,75/4	4,1 ER	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
BTK	Klassic / Konic INT	3,25/4	3,5 IR	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
B&W	Internal Connection	3,3/4	4	0,6	3,8	-	-				DAS_E_0042
B&W	External Connection	3,75/4	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
CAMLOG	Conelog	3,8	3,8	1,0	4,0	-	-				DAS_E_0120
CAMLOG	Conelog	4,3	4,3	1,0	4,0	-	-				DAS_E_0121

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
CAMLOG	Screw Line 3,8	3,8	3,8	0,3	3,8	-	-				DAS_E_0011
CAMLOG	Screw Line 4,3	4,3	4,3	0,3	4,0	-	-				DAS_E_0012
CORTEX	Classix	3,3/3,8/4,2/5/6	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
CORTEX	Dynamix	3,3/3,8/4,2/5/6	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
CORTEX	Saturn	3,8/4,2	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
CORTEX	Conical Platform	3	NP	1,2	3,8	-	-				DAS_E_0109
CORTEX	Conical Platform	3,3/3,8/4,2	RP	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
CORTEX	Conical Platform	5/6	WP	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
CORTEX	Multi Unit		Universal	0,5	5,4/5/7/9	0,5	5,40				DAS_E_0025
CORTEX	Magix	3,3/3,8/4,2	RP	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
CONEXÃO SISTEMA DE PRÓTESE	Flash	3,5/4,3/5	Universal	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
CONEXÃO SISTEMA DE PRÓTESE	Torq	3,5/3,75/4	Universal	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
CONEXÃO SISTEMA DE PRÓTESE	Expand	3,75/4/5	Universal	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
DENTAURUM	Tiologic	3,3	Small	0,5	3,8	-	-				DAS_E_0130
DENTAURUM	Tiologic	3,7/4,2	Medium	0,5	4,0	-	-				DAS_E_0131
DENTAURUM	Tiologic	4,8/5,5	Large	0,5	4,5	-	-				DAS_E_0132
DENTAURUM	Tiiox	3,5	3,5	1,0	4,0	-	-				DAS_E_0133
DENTAURUM	Tiiox	4,5	4,5	1,0	4,0	-	-				DAS_E_0134
DENTIUM	SuperLine-Implantium	3,4	3,6	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
DENTIUM	SuperLine-Implantium	3,8	4	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
DENTIUM	SuperLine-Implantium	4,3	4,5	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
DENTIUM	SuperLine-Implantium	4,8	5	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
DENTIUM	SuperLine-Implantium	4,8	6	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
DENTIUM	SimpleLine II	3,8/4,3	4,8	0,6	4,5	-	-				DAS_E_0037
DENTIUM	SimpleLine II	4,3/4,8	6,5	0,6	4,5						DAS_E_0096

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase ® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
DENTIS	S-Clean	3,7	Mini	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
DENTIS	S-Clean	4,1/4,3	Regular	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
DENTIS	S-Clean	4,8	Wide	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
DIO IMPLANTS	External	3,3/3,8	Narrow 3,5	0,3	3,8	0,5	3,80				DAS_E_0023
DIO IMPLANTS	External	3,75/4/4,5	Regular 4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
DIO IMPLANTS	SM System	4,5/5/5,3	Regular/Wide	0,7	4,0	-	-				DAS_E_0013
DIO IMPLANTS	UF	3/3,3	Narrow	1,2	3,8	2	3,8	3,0	4,0	5,0	DAS_E_0014
DIO IMPLANTS	UF	3,8/4/4,5/5/5,5	Regular	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
DSP BIOMEDICAL	External Hex	3,75/4/5/3,5/3,8/4,3	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
DENTAL TECH	Implogic	4,5	4,5 (Blue)	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
EASY IMPLANT	Master C	4,5	4,5 (Lilas)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
EASY IMPLANT	Master C	5	5 (Lilas)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
EASY IMPLANT	Master S	3,75	3,75 (Lilas)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
EASY IMPLANT	Master S	4,25	4,25 (Lilas)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
EASY IMPLANT	Master S	4,75	4,75 (Lilas)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
EASY IMPLANT	Master L	3,3	3,3 (Lilas)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
EASY IMPLANT	Master L	3,75	3,75 (Lilas)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
EASY IMPLANT	Master L	4,25	4,25 (Lilas)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
EASY IMPLANT	Master L	4,75	4,75 (Lilas)	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
ECKERMAN	Hexagon	3/3,5/4/4,5/5	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
ECKERMAN	All-Spiral		Regular	0,9	5,4	-	-				DAS_E_0069
ELITE MEDICAL	External Connection	3,75	Narrow Platform	0,3	3,8	0,5	3,80				DAS_E_0023
ELITE MEDICAL	External Connection	4	Regular Platform	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
EUROTEKNIKA	Aesthetica	4,1	4,8	0,6	4,5	-	-				DAS_E_0037
EUROTEKNIKA	Aesthetica	4,8	6,5	0,6	4,5						DAS_E_0096
EUROTEKNIKA	Naturactis	3,5	3,4	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
EUROTEKNIKA	Naturactis	4	3,8	1,0	4/5/7/9	2,0	4,00				DAS_E_0004

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase ® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
EUROTEKNIKA	Naturactis	4,5	4,3	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
EUROTEKNIKA	Naturactis	5	4,8	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
EUROTEKNIKA	Natea	3,6/4,1/4,8	Narrow	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
EUROTEKNIKA	Natea	3,6/4,1/4,8	Regular	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
EUROTEKNIKA	Natea	6	Wide	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
EUROTEKNIKA	Naturall	3,5	Narrow	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
EUROTEKNIKA	Naturall	4/4,5	Regular	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
EUROTEKNIKA	Naturall	5	Wide	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
EUROTEKNIKA	Uneva	3,6/4,1/4,8/6	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
EUROTEKNIKA	Multi Unit Tetra		Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
GALIMPLANT	Conexión interna	3,5	3,5	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
GALIMPLANT	Conexión interna	4	4	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
GALIMPLANT	Conexión interna	5	5	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
GALIMPLANT	Conexión externa	3,5/4	4	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
GALIMPLANT	Multi Unit Multi-posicion recto		Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
GALIMPLANT	Multi Unit Multi-posicion angulado		Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
GMI	Frontier	3,3/3,75/4,25	RP 3,3	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
GMI	Frontier	4,75/5,75	WP 4,3	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
GMI	Phoenix	3,3/3,75/4	Standard 4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
GMI	Pilar multi-estético angulado	Universal	RP 4,8	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
GT MEDICAL	Best Fit Internal Hex	3,7/4,1/4,3/4,8	Wide	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
GT MEDICAL	Best Fit External Hex	3,5	Narrow	0,3	3,8	0,5	3,80				DAS_E_0023
GT MEDICAL	Best Fit External Hex	4,1	Regular	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
GT MEDICAL	Best Fit Internal Octagon	3,7/4,3/4,8	Regular	0,6	4,5	-	-				DAS_E_0037
HANH IMPLANT	Tapered Implant	3,5/4,3	3,5 (Purple)	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
HANH IMPLANT	Tapered Implant	5	5 (Blue)	1,3	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0022
HANH IMPLANT	Tapered Implant	7	7 (Green)	1,4	4,5	-	-				DAS_E_0124

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase ® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
HANH IMPLANT	Multi-Unit Abutment system	Universal	Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
HI-TEC	Tapered Self Thread	3,3/3,75	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
HI-TEC	Tapered Self Thread	4,2/5	4,5	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
HI-TEC	Logic Plus	3,5	3,7	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
HI-TEC	Logic Plus	4,3	3,9	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
IDO IMPLANTS	I Do Implants	3,8/4/4,5/5/5,5/6/7	Universal	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
IMPLANT DIRECT	Interactive	3,2/3,7	3	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
IMPLANT DIRECT	Interactive	4,3/5	3,4	1,3	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0022
IMPLANT DIRECT	Legacy	3,7	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
IMPLANT DIRECT	Legacy	4,7	4,5	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
IMPLANT DIRECT	Replus-Replant-Reactive	3,5/3,7/4,2	3,5	0,5	3,8/5/7/9	1,2	3,80				DAS_E_0026
IMPLANT DIRECT	Replus-Replant-Reactive	4,3/4,7	4,3	0,3	4/5/7/9	1,2	4,00				DAS_E_0027

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
IMPLANT DIRECT	Replus-Replant-Reactive	5/5,7	5	0,3	4,0	-	-				DAS_E_0028
IMPLANT DIRECT	SwishActive	3,3	3	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
IMPLANT DIRECT	SwishActive	4,1/4,8	3,4	1,3	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0022
IMPLANT DIRECT	Swishplant-Swishplus	4,1/4,8	4,8	0,6	4,5	-	-				DAS_E_0037
IMPLANT GENESIS	AKTIVE	3,5/3,75/4,2/5	Standard	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
IHDE DENTAL (IMBIODENT)	Bone Level Plus	3,3	3,3	1,3	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0033
IHDE DENTAL (IMBIODENT)	Bone Level Plus	4,1	4,1	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0035
IHDE DENTAL (IMBIODENT)	Bone Level Plus	4,1	4,8	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0035
INTRA LOCK	IntraHex	3,75/4	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
INTRA LOCK	IntraHex	4,75	4,5	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
INTRA LOCK	Unihex	4	Regular	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
INTRA LOCK	Unihex	4,75	Wide	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
JDENTALCARE	JDEvolution/JDEvolution Plus	3,7	3,7	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase ® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
JDENTALCARE	JDEvolution/ JDEvolution Plus	4,3/5	4	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
JDENTALCARE	JDEvolution/ JDEvolution Plus	6	5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
JDENTALCARE	JD ICON	3,9	3,9	1,3	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0022
JDENTALCARE	JD ICON	4,3	4	1,3	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0022
JDENTALCARE	JD ICON	5	4,7	1,3	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0022
KEYSTONE	Internal TiLobe PrimaConnex	3,3/3,5	3,5	1,0	3,8/5/7/9	-	-				DAS_E_0044
KEYSTONE	Internal TiLobe PrimaConnex	4/4,1	4,1	1,0	4/5/7/9	-	-				DAS_E_0045
KEYSTONE	Internal TiLobe PrimaConnex	5	5	1,0	4/5/7/9	-	-				DAS_E_0046
KEYSTONE	Restore	3,3	SD 3,3	0,3	3,8	0,5	3,80				DAS_E_0023
KEYSTONE	Restore	3,75/4	RD 4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
KLOCKNER	Essential Cone	3,5/4/4,5	4,5	0,6	4,0	-	-				DAS_E_0054
KLOCKNER	KL	3,5	Narrow	0,3	3,8	0,5	3,80				DAS_E_0023
KLOCKNER	KL	4,1	Regular	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
KLOCKNER	Vega	3,5	NV	1,2	3,8	-	-				DAS_E_0082
KLOCKNER	Vega	4/4,5	RV	1,2	4,0	-	-				DAS_E_0083
LEADER	Tixos External Hex	3,3/3,75	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
LEADER	Tixos Internal Hex	3,3	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
LEADER	Tixos Internal Hex	3,75	4	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
MEDENTIS (ICX)	Templant	3,75	3,75	1,1	4,0	-	-				DAS_E_0125
MEDENTIS (ICX)	Templant	4,1	4,1	1,1	4,0	-	-				DAS_E_0125
MEDENTIS (ICX)	Templant	4,8	4,8	1,1	4,0	-	-				DAS_E_0125
MEGAGEN	AnyOne External	3,5	Small 3,5	0,3	3,8	0,5	3,80				DAS_E_0023
MEGAGEN	AnyOne External	4	Regular 4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
MEGAGEN	AnyOne External	4,5	Regular 4,5	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
MEGAGEN	AnyOne Internal	3,5/4/4,5/5/6/7	General	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
MEGAGEN	AnyRidge	3,5	Small	1,7	4/5/7/9	2,5	4,00				DAS_E_0015
MEGAGEN	AnyRidge	4/4,5	Regular	1,7	4/5/7/9	2,5	4,00				DAS_E_0015

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase ® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
MEGAGEN	AnyRidge	5/5,5	Wide	1,7	4/5/7/9	2,5	4,00				DAS_E_0015
MEGAGEN	Mini	3/3,4	Mini	1,2	3,8	2	3,8	3,0	4,0	5,0	DAS_E_0014
MEGAGEN	Cone Abutment		3,8	2,5	4,0	-	-				DAS_E_0128
MICRODENT	Ektos	3,7/4,2	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
MICRODENT	System	2,8/3,25	3,5	0,3	3,8/5/7/9	0,5	3,80				DAS_E_0003
MICRODENT	Universal	2,8/3,25	3,5	0,3	3,8/5/7/9	0,5	3,80				DAS_E_0003
MICRODENT	Universal	3,3/3,5/3,75/4	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
MIS	C1	3,3	Narrow	0,8	3,8	-	-				DAS_E_0016
MIS	C1	3,75/4,2	Standard	0,7	4,0	-	-				DAS_E_0017
MIS	C1	5	Wide	1,2	4,0	-	-				DAS_E_0018
MIS	V3	3,9/4,3/5	Standard	0,7	4,0	-	-				DAS_E_0017
MIS	Lance	3,75/4,2	Standard	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
MIS	M4	3,3	Narrow	0,8	3,8	-	-				DAS_E_0019
MIS	M4	3,75/4,2	Standard	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
MIS	M4	5/6	Wide	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
MIS	Multi-Unit	Universal	General	0,6	5,1	-	-				DAS_E_0020
MIS	Seven	3,3	Narrow	0,8	3,8	-	-				DAS_E_0019
MIS	Seven	3,75/4,2	Standard	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
MIS	Seven	5/6	Wide	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
MOZO-GRAU	MG Inhex	3,3	2,3 Mini	1,2	3,8	-	-				DAS_E_0109
MOZO-GRAU	MG Inhex	3,75/4,25	2,8 Standard	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
MOZO-GRAU	MG Inhex	5	3,8 Maxi	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
MOZO-GRAU	MG Osseous	3,3	3,4 Mini	0,3	3,8/5/7/9	0,5	3,80				DAS_E_0003
MOZO-GRAU	MG Osseous	3,4/3,75/4,25	4,1 Standard	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
MPI	Privilege CM	3,5/4	Regular	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
MPI	Privilege CM	5	Wide	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
MPI	Excellence CM	3,5/4	Regular	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
MPI	Excellence CM	5	Wide	1,0	4/5/7/9	2,0	4,00				DAS_E_0005

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase ® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
MPI	External Connection HE	3,3/4	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
NEOBIOTECH	EB External System	3,5	Narrow	0,3	3,8	0,5	3,80				DAS_E_0023
NEOBIOTECH	IS System	4	Regular 4	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
NEOBIOTECH	IS System	4,5	Regular 4,5	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
NEOBIOTECH	IS System	5	Wide 5	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
NEODENT	Cono Morse Mini Pilar		Regular	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
NEODENT	Smart HE	3,75/4	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
NEOSS	Pro-Active	3,5 Green	ProActive	0,6	3,8	-	-				DAS_E_0047
NEOSS	Pro-Active	4 Yellow	ProActive	0,6	3,8	-	-				DAS_E_0047
NEOSS	Pro-Active	4,5 Blue	ProActive	0,6	4,0	-	-				DAS_E_0048
NEOSS	Pro-Active	5 Peach	ProActive	0,6	4,0	-	-				DAS_E_0048
NEOSS	Pro-Active	5,5 Lilac	ProActive	0,6	4,0	-	-				DAS_E_0048
NOBEL BIO CARE	Active	3	Mini 3.0	1,5	4,5	-	-				DAS_E_0159

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
NOBEL BIOCARE	Active	3,5	Narrow	1,5	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0021
NOBEL BIOCARE	Active	4,3/5	Regular	1,3	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0022
NOBEL BIOCARE	Active	5,5	Wide	1,4	4,5	-	-				DAS_E_0124
NOBEL BIOCARE	Branemark	3,3	Narrow	0,3	3,8	0,5	3,80				DAS_E_0023
NOBEL BIOCARE	Branemark	3,75/4	Regular	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
NOBEL BIOCARE	Branemark	5,5	Wide	0,6	4,5	-	-				DAS_E_0061
NOBEL BIOCARE	Multi-Unit	4,8	Regular	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
NOBEL BIOCARE	Replace	3,5	Narrow	0,5	3,8/5/7/9	1,2	3,80				DAS_E_0026
NOBEL BIOCARE	Replace	4,3	Regular	0,3	4/5/7/9	1,2	4,00				DAS_E_0027
NOBEL BIOCARE	Replace	5	Wide	0,3	4,0	-	-				DAS_E_0028
NORIS MEDICAL	TUFF	3,3/3,75/4,2/5/6	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
NORIS MEDICAL	TUFF TT	3,3/3,75/4,2/5/6	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
NORIS MEDICAL	ONIX	3,3/3,75/4,2/5/6	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
NORIS MEDICAL	CORTICAL	4/5/6	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase ® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
NORIS MEDICAL	PTERYCORE	4,2	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
NORIS MEDICAL	PTERYFIT	4,2	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
NORMON	HI	3,75/4,25/4,75	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
NORMON	HE	3,25/3,75/4,25/4,75	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
OSSEOLIFE (ZIACOM)	OEX	3,75/4,25	RP 4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
OSSTEM	TS	3,5	Mini	1,2	3,8	2,0	3,80	3,0	4,0	5,0	DAS_E_0029
OSSTEM	TS	4/4,5/5/6/7	Regular	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
OSSTEM	US	3,3/3,5	Mini 3,5	0,3	3,8	0,5	3,80				DAS_E_0023
OSSTEM	US	3,75/4/4,5	Regular 4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
OSTEOPLUS	SHE	3,45	3,45	0,3	3,8	0,5	3,80				DAS_E_0009
OSTEOPLUS	SHE	3,75 / 4	4	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
OSTEOPLUS	SHI	3,3 / 3,75 / 4,2	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
PALTOP	ADVANCED CLASSIC	3,75/4,2/5	STANDARD	0,6	3,8	-	-				DAS_E_0042
PALTOP	ADVANCED +	3,75/4,2/5	STANDARD	0,6	3,8	-	-				DAS_E_0042

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
PALTOP	DYNAMIC	3,75/4,2/5	STANDARD	0,6	3,8	-	-				DAS_E_0042
PALTOP	DIVA	3,75/4,2/5	STANDARD	0,6	3,8	-	-				DAS_E_0042
PALTOP	CONICAL ACTIVE	3,75/4,2/5	STANDARD	1,2	3,8	2,0	3,80	3,0	4,0	5,0	DAS_E_0029
PHIBO	BTN Serie 3	3,6	4	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
PHIBO	BTN Serie 4	4,2	4	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
PHIBO	TSH Serie 3	3,6	4	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
PHIBO	TSH Serie 4	4,2	4	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
PROCLINIC	Cilíndrico Externo/ Cónico Externo	3,75/4,25//3, 5/4	4,1 Estandar	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
PROCLINIC	Cilíndrico Interno/ Cónico Interno	3,3/3,75/4, 25/5//3,5/4/5	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
PROCLINIC	SP Octa	3,3/4,1/4,8	4,8	0,6	4,5	-	-				DAS_E_0037
PROCLINIC	SP Octa	4,8	6,5	0,6	4,5						DAS_E_0096
RADHEX	PHE	3,5	3,5	0,3	3,8	0,5	3,80				DAS_E_0023
RADHEX	PHE	4/4,5/5	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
RADHEX	PHI	3,75	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
RADHEX	PHI	4,5/5	4,5	0,4	4/5/7/9	1,0	4,00	3,0	4,0	5,0	DAS_E_0041
SEWON MEDIX	IH2 SLA SYSTEM	3,5	Mini	1,2	3,8	2,0	3,80	3,0	4,0	5,0	DAS_E_0029
SEWON MEDIX	IH2 RBM SYSTEM	3,5	Mini	1,2	3,8	2,0	3,80	3,0	4,0	5,0	DAS_E_0029
SEWON MEDIX	IH2 SLA SYSTEM	3,5/4/4,5/5	Regular	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
SEWON MEDIX	IH2 RBM SYSTEM	3,5/4/4,5/5	Regular	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
SEWON MEDIX	IH SYSTEM	3,5/4/4,5/5	Universal	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
SGS	P1	3,2/3,75/4,2/5/6	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
SGS	P7		3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
SIGNO VINCES	Duo	4,6	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
SIGNO VINCES	Integra	3,75/4	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
SIGNO VINCES	Compact	4,5	CM3,8	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
SIGNO VINCES	Duocon	3,8	CM3,8	1,0	4/5/7/9	2,0	4,00				DAS_E_0004

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
SIGNO VINCES	Duocon	4,6/5,5	CM4,6	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
SIGNO VINCES	Infra	3,3/3,8/4,6	CM	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
SOUTHERN IMPLANTS	Tri-Nex	3,5	3,5	0,5	3,8/5/7/9	1,2	3,80				DAS_E_0026
SOUTHERN IMPLANTS	Tri-Nex	4,3	4,3	0,3	4/5/7/9	1,2	4,00				DAS_E_0027
SOUTHERN IMPLANTS	Tri-Nex	5	5	0,3	4,0	-	-				DAS_E_0028
SOUTHERN IMPLANTS	IT Connection	3,3/4/4,1/4,9/5	4,8	0,6	4,5	-	-				DAS_E_0037
SOUTHERN IMPLANTS	IT Connection	4,9/5/6	6,5	0,6	4,5						DAS_E_0096
SOUTHERN IMPLANTS	External Hex	3,25	3,4	0,3	3,8/5/7/9	0,5	3,80				DAS_E_0003
SOUTHERN IMPLANTS	External Hex	3,75/4	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
SOUTHERN IMPLANTS	Internal Hex	3,75/4,2/5	Universal	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
SOUTHERN IMPLANTS	Compact Conical Multi-Unit	4,8	4,8	0,3	5,4/5/7/9	0,5	5,40				DAS_E_0025
SOUTHERN IMPLANTS	Deep Conical	3	2,45	1,2	3,8	-	-				DAS_E_0109

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
SOUTHERN IMPLANTS	Deep Conical	3,5/4	2,95/3,1	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
SOUTHERN IMPLANTS	Deep Conical	5	4,1	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
STERI-OSS	Conexión externa	3,25	3,3	0,3	3,8	0,5	3,80				DAS_E_0023
STERNGOLD	Stern Ex	3,75/4/5	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
SYBRON	Endopore	4,1	4,1	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024
SWEDEN MARTINA	Premium khono	3,3	3,3	0,5	3,8	-	-				DAS_E_0031
SWEDEN MARTINA	Premium khono	3,8	3,8	0,7	4,0	-	-				DAS_E_0032
SWEDEN MARTINA	Premium khono	4,25	4,25	0,9	4,0	-	-				DAS_E_0065
SWEDEN MARTINA	Outlink 2	3,3	3,3	0,6	3,8	-	-				DAS_E_0063
SWEDEN MARTINA	Outlink 2	3,75/4,1	4,1	0,6	4,0	-	-				DAS_E_0064
SWEDEN MARTINA	Prama	3,8/4,25/5	3,4	0,5	3,8	-	-				DAS_E_0031
SWEDEN MARTINA	Shelta	3,8	3,8	0,7	4,0	-	-				DAS_E_0032

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
SWEDEN MARTINA	Shelta	4,25	4,25	0,7	4,0	-	-				DAS_E_0032
SWEDEN MARTINA	Shelta	5	5	0,7	4,0	-	-				DAS_E_0032
STRAUMANN	Bone Level	3,3	NC- 3,3	1,3	3,8/5/7/9	2,0	3,80	3,0	4,0	5,0	DAS_E_0033
STRAUMANN	Bone Level	4,1/4,8	RC-4,1/4,8	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0035
STRAUMANN	Internal Octagon	3,3/4,1/4,8	Regular 4,8	0,6	4,5	-	-				DAS_E_0037
STRAUMANN	Internal Octagon	4,8	Wide 6,5	0,6	4,5	-	-				DAS_E_0096
STRAUMANN	Synocta		Regular 4,8	0,6	4,5	-	-				DAS_E_0074
STRAUMANN	Synocta		Wide 6,5	0,6	4,5	-	-				DAS_E_0137
STRAUMANN	Screw Retained	Universal	NC/RC	0,5	5,2	-	-				DAS_E_0101
TITANIUM-FIX	B-fix	3,5/4	Regular	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
TITANIUM-FIX	B-fix	4,5/5	Larga	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
TREE-OSS	Simple	3,3/3,75/5	3,75	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
TRI DENTAL IMPLANTS	Tri-Vent	3,75/4,1/4,7	3,5	0,6	3,8	-	-				DAS_E_0042
TRINON	Q2	3,5/3,75/4,5	4	0,3	4/5/7/9	0,5	5/7/9				DAS_E_0024

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase ® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
TRINON	QK	4	4,8	0,6	4,5	-	-				DAS_E_0037
UFIT	Gt2	3,5	Mini	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
UFIT	Gt2	4/4,5	Regular	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
UFIT	Gt2	5	Wide	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
UFIT	Gt2	5,5/6/6,5/7	Ultra-wide	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
UFIT	Gt2	3,5	Mini	1,0	4/5/7/9	2,0	4,00				DAS_E_0004
UFIT	Nt2	4/4,5	Regular	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
UFIT	Nt2	5	Wide	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
UFIT	Nt2	5,5/6/6,5/7	Ultra-wide	1,0	4/5/7/9	2,0	4,00				DAS_E_0005
VULKAN IMPLANTS	IN-Hex	3,3/3,75/4,2/5		0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
XIVE	S	3,4	3,4	0,7	3,8/5/7/9	0,7	3,80				DAS_E_0038
XIVE	S	3,8	3,8	0,7	4/5/7/9	0,7	4,00				DAS_E_0039
XIVE	S	4,5	4,5	0,3	4,0	-	-				DAS_E_0085
YES IMPLANT	S-SYSTEM	3,3/3,5	Narrow	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030

NOTE: To work with the 3TiBase® with the extraoral system, it is necessary to use the standard TiBase® and its corresponding scanbody.

NOTE:

DAS = Dynamic Abutment Solutions
 E = Extraoral
 NR = Non-rotator (Engaging)

R = Rotator (Non-Engaging)
 GH = Gingiva Height
 CH = Cement Height



BRAND	MODEL	Ø IMPLANT	PLATFORM	GINGIVAL HEIGHT A (GH)	CEMENT HEIGHT A (CH)	GINGIVAL HEIGHT B (GH)	CEMENT HEIGHT B (CH)	GINGIVAL HEIGHT C (GH)	GINGIVAL HEIGHT D (GH)	GINGIVAL HEIGHT E (GH)	LIBRARY CODE
YES IMPLANT	S-SYSTEM	4/4,5	Regular	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
YES IMPLANT	S-SYSTEM	5/5,5	Wide	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
YES IMPLANT	S-SYSTEM	6/6,5/7/8	B-Wide	1,1	4/5/7/9	2,0	4,00	3,0	4,0	5,0	DAS_E_0030
ZIMMER	Swiss-Plus	3,7/4,1/4,8	4,8	0,6	4,5	1,5	-				DAS_E_0037
ZIMMER	Zimmer Type (Internal Hexagon)	3,7/4,1	3,5	0,6	3,8/5/7/9	1,5	3,80	3,0	4,0	5,0	DAS_E_0040
ZIMMER	Zimmer Type (Internal Hexagon)	4,7	4,5	0,4	4/5/7/9	1,5	4,00	3,0	4,0	5,0	DAS_E_0041
ZIMMER	Screw-Vent	3,7/4,1	3,5	0,6	3,8	-	-				DAS_E_0042
ZIMMER	Screw-Vent	4,7	4,5	0,4	4,0	-	-				DAS_E_0043
ZIMMER	Screw-Vent	6	5,7	0,4	5,7	-	-				DAS_E_0056